

## Talk 4: Exploring the TEI

March 2009

# The TEI Guidelines

This talk gives a whirlwind survey of some of the other things that the TEI provides for its community, starting with the TEI Guidelines.

## TEI Chapters (1)

In addition to Front Matter and Back Matter, the TEI Guidelines contain chapters on:

1. The TEI Infrastructure
2. The TEI Header
3. Elements Available in All TEI Documents
4. Default Text Structure
5. Representation of Non-standard Characters and Glyphs
6. Verse
7. Performance Texts
8. Transcriptions of Speech
9. Dictionaries
10. Manuscript Description
11. Representation of Primary Sources
12. Critical Apparatus

...

## TEI Chapters (2)

...

- 13 Names, Dates, People, and Places
- 14 Tables, Formulæ, and Graphics
- 15 Language Corpora
- 16 Linking, Segmentation, and Alignment
- 17 Simple Analytic Mechanisms
- 18 Feature Structures
- 19 Graphs, Networks, and Trees
- 20 Non-hierarchical Structures
- 21 Certainty and Responsibility
- 22 Documentation Elements
- 23 Using the TEI

## v. A Gentle Introduction to XML

- Moved to Front Matter of Guidelines
- Updated to modern use of XML, namespaces, schemas, etc.
- A must-read for those new to XML
- Considers the nature of markup, why XML is so special, and the structures we create with them

## 6. Verse

- `<rhyme>` element added to make rhyming part of metrical line
- Core: `<lg>` (line-groups) enclose `<l>` (line) elements
- Module Elements: `<caesur a>`, `<metDecl>`, `<metSym>`, `<rhyme>`

```

<lg rhyme="abab">
  <l>A pleasing land of drowsy head it
  <rhyme label="a">was</rhyme>, </l>
  <l> Of dreams that wave before the half-shut
  <rhyme label="b">eye</rhyme>; </l>
  <l>And of gay castles in the clouds that
  <rhyme label="a">pass</rhyme>, </l>
  <l> For ever flushing round a summer
  <rhyme label="b">sky</rhyme>. </l>
  <trailer>CASTLE OF INDOLENCE. </trailer>
</lg>

```

## 7. Performance Texts

- Core: <sp>, <speech>, <speaker>
- Module Elements: <actor>, <camera>, <caption>, <castGroup>, <castItem>, <castList>, <epilogue>, <move>, <performance>, <prologue>, <role>, <roleDesc>, <set>, <sound>, <tech>, <view>

```
<castList>
  <castItem>
    <role>Ichabod Crane</role>
    <actor>James Cummings</actor>
  </castItem>
  <castItem>
    <role>Katrina Van Tassel</role>
    <actor>Dot Porter</actor>
  </castItem>
</castList>
```

## 8. Transcriptions of Speech

- Module Elements: `<broadcast>`, `<equipment>`, `<incident>`, `<kinesic>`, `<pause>`, `<recording>`, `<recordingStmt>`, `<scriptStmt>`, `<shift>`, `<u>`, `<vocal>`, `<writing>`
- `<incident>` replaces `<event>` which has been re-purposed

```

What passed at this interview I will not pretend to
say, for in fact I do not
know. <pause dur="PT5S"/> Something, however, I fear me,
must have gone wrong. <gap/>
<vocal dur="PT2S">
<desc>cries in anguish</desc>
</vocal>Oh these women! these women!
<kinesic dur="PT1.5S">
<desc>shakes head sadly</desc>
</kinesic> Could that girl have been playing off any of
her coquettish tricks?</u>

```



## 9. Dictionaries

- Module Elements: <case>, <colloc>, <def>, <dictScrap>, <entry>, <entryFree>, <etym>, <form>, <gen>, <gram>, <gramGrp>, <hom>, <hyph>, <iType>, <lang>, <lbl>, <mood>, <number>, <oRef>, <oVar>, <orth>, <pRef>, <pVar>, <per>, <pos>, <pron>, <re>, <sense>, <stress>, <subc>, <superEntry>, <syll>, <tns>, <usg>, <xr>

```

<entry>
  <form>
    <orth>horseman</orth>
  </form>
  <sense n="1">
    <def>a rider or driver of horses; especially: one
    whose skill is exceptional</def>
  </sense>
</entry>

```

## 12. Critical Apparatus

- Module Elements: `<app>`, `<lacunaEnd>`,  
`<lacunaStart>`, `<lem>`, `<listWit>`, `<rdg>`, `<rdgGrp>`,  
`<variantEncoding>`, `<wit>`, `<witDetail>`,  
`<witEnd>`, `<witStart>`, `<witness>`

`<p>`Certain it is, this was not the case with the redoubtable Brom Bones; and `<app>`  
`<rdg wit="#msA">`from the moment Ichabod Crane made his advances, `</rdg>`  
`<rdg wit="#msB">`coincidentally when Ichabod Crane made his advances, `</rdg>`  
`<rdg wit="#msC">`from the moment Ichabod Crane started to sing, `</rdg>`  
`</app>` the interests of the former evidently declined; `</p>`

## 12. Names, Dates, People, Places

```
<p>... <name ref="#jsbach" type="person"> Johann
Sebastian Bach </name> was a prolific
German composer ... </p>
```

```
<listPerson type="composers">
  <person xml:id="kfabel">
    <persName>Karl Friedrich Abel</persName>
  </person>
  <person xml:id="jsbach">
    <persName>Johann Sebastian Bach</persName>
  </person>
  <person xml:id="cpebach">
    <persName>Carl Philipp Emanuel Bach</persName>
  </person>
<!-- .... -->
</listPerson>
```

## 14. Tables, Formulae, and Graphics

- Module Elements: `<cell>`, `<figDesc>`, `<figure>`, `<formula>`, `<row>`, `<table>`

```
<table>  
  <row>  
    <cell>Van Tassel, Katrina</cell>  
    <cell>A+</cell>  
    <cell>As beautiful as she is talented</cell>  
  </row>  
<!-- more table rows of Ichabod's grading book-->  
</table>
```

## 15. Language Corpora

- Module Elements: <activity>, <channel>, <constitution>, <derivation>, <domain>, <factuality>, <interaction>, <locale>, <particDesc>, <preparedness>, <purpose>, <setting>, <settingDesc>, <textDesc>

```

<settingDesc>
  <setting who="#p1 #p2">
    <name type="village">Sleep Hollow</name>
    <date>early spring, 1789</date>
    <locale>a farm house, sat by the hearth</locale>
    <activity>courting</activity>
  </setting>
  <setting who="#p3">
    <name type="city">Sleepy Hollow</name>
    <date>early spring, 1789</date>
    <locale>school house</locale>
    <activity>teaching</activity>
  </setting>
</settingDesc>

```

## 16. Linking, Segmentation, and Alignment

- Module Elements: <ab>, <alt>, <altGrp>, <anchor>, <join>, <joinGrp>, <link>, <linkGrp>, <seg>, <timeline>, <when>

```

<p xml:id="p123">These magic books and the poetic
scrawls were forthwith consigned to
the flames by <persName xml:id="HVR5">Hans Van
Ripper</persName>; who from that time
forward determined to send his children no more to
school; observing, that he never
knew any good come of this same reading and writing.
</p> [...]
<linkGrp>
  <link targets="#p123 facs.xml#graphic-p123"/>
  <link targets="#HVR5 people.xml#VanRipperH5"/>
</linkGrp>

```

## 17. Simple Analytic Mechanisms

- Module Elements: <c>, <cl>, <interp>, <interpGrp>, <m>, <phr>, <s>, <span>, <spanGrp>, <w>

```

<u><s><w ana="#AT0">The</w> <w
ana="#NN1">victim</w><w
ana="#POS">'s</w> <w
ana="#NN2">friends</w><w
ana="#VVD">told</w> <w
ana="#NN2">villagers</w><w
ana="#CJT">that</w> <w
ana="#AT0">the</w><w
ana="NPO">Headless</w> <w
ana="NPO">Horseman</w><w
ana="#VVD">rode</w> <w
ana="#PRP">into</w><w
ana="#AT0">the</w> <w
ana="#NN1">forest</w><w
ana="#CJC">and</w> <w
ana="#AV0">never</w><w
ana="#VVD">surfaced</w> </s> </u>

```

## 23. Using the TEI

- The new 'Using the TEI' chapter does not define a module of elements
- It contains sections on:
  - 23.1 Obtaining the TEI Schemas
  - 23.2 Personalization and Customization
  - 23.3 Conformance
  - 23.4 Implementation of an ODD system



## Live Demos

Now if I have time, and an internet connection, I'll do some live demos looking around the Guidelines, Reference Material, Roma, etc.

- Guidelines: <http://www.tei-c.org/Guidelines/P5/>
- Reference:  
<http://www.tei-c.org/release/doc/tei-p5-doc/en/html/REF-ELEMENTS>
- Roma: <http://www.tei-c.org/Roma/>
- Stylesheets: <http://www.tei-c.org/Tools/Stylesheets/>
- Wiki: <http://wiki.tei-c.org/>
- Sourceforge: <http://sourceforge.net/projects/tei/>